

Table S3 : Efficacy of AN12855 in an Acute (C57BL/6) model of infection

Organ	Treatment	Conc (mg/kg)	Days post infection 1	Mean $\pm$ SEM Log <sub>10</sub> CFU (Number of mice)	
				13	22
Lung	Untreated		2.5 $\pm$ 0.08 (3)	7.2 $\pm$ 0.04 (5)	9.1 $\pm$ 0.05 (5)
Lung	INH	25			5.5 $\pm$ 0.20 (5)*
Lung	AN12855	0.1			8.8 $\pm$ 0.08 (5)
Lung	AN12855	1			8.4 $\pm$ 0.20 (5)*
Lung	AN12855	10			6.8 $\pm$ 0.10 (5)*
Lung	AN12855	25			6.4 $\pm$ 0.06 (5)*
Lung	AN12855	50			5.4 $\pm$ 0.23 (4) <sup>A*</sup>
Spleen	Untreated			5.4 $\pm$ 0.14 (5)	7.4 $\pm$ 0.12 (5)
Spleen	INH	25			4.1 $\pm$ 0.07 (5)*
Spleen	AN12855	0.1			7.0 $\pm$ 0.12 (5)
Spleen	AN12855	1			7.1 $\pm$ 0.18 (5)
Spleen	AN12855	10			5.4 $\pm$ 0.12 (5)*
Spleen	AN12855	25			4.2 $\pm$ 0.12 (5)*
Spleen	AN12855	50			3.9 $\pm$ 0.18 (5)*

\*: P value <0.05 compared to untreated controls  
A: Data only included for 4 of the 5 mice in this group due to plate contamination